



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/781,982	02/14/2001	Akira Itoh	L7016.01102	9554

7590

12/12/2005

STEVENS, DAVIS, MILLER & MOSHER, L.L.P.
1615 L Street, N.W., Suite 850
Washington, DC 20036

EXAMINER

THOMPSON, JAMES A

ART UNIT

PAPER NUMBER

2624

DATE MAILED: 12/12/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/781,982

Applicant(s)

ITOH, AKIRA

Examiner

James A. Thompson

Art Unit

2624

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 27 September 2005 and 26 August 2005.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-5 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-5 is/are rejected.
- 7) ☒ Claim(s) 1 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 14 February 2001 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 27 September 2005 has been entered.

Response to Arguments

2. Applicant's arguments filed 26 August 2005 have been fully considered but they are not persuasive. As similarly set forth in the Advisory Action dated 19 September 2005 and mailed 27 September 2005, Examiner agrees with Applicant that the present amendments to the claims overcome the prior art of record. However, additional prior art has been discovered which renders the claims obvious to one of ordinary skill in the art at the time of the invention. The prior art rejections of the present claims are given in detail below.

Claim Objections

3. Claim 1 is objected to because of the following informalities: Claim 1, line 6 recites "said central processing means". There is insufficient antecedent basis for this limitation in claim 1. Appropriate correction is required.

Art Unit: 2624

Claim Rejections - 35 USC § 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. Claims 1 and 4 are rejected under 35 U.S.C. 103(a) as being unpatentable over Zhou (US Patent 5,798,753) in view of Tachiuchi (US 4,839,739) and Mita (US Patent 5,293,481).

Regarding claim 1: Zhou discloses an image processing apparatus (figure 7 of Zhou) comprising a central processing section (figure 7(24) of Zhou) that conducts operation control of the whole image processing apparatus (column 3, lines 49-52 of Zhou); a setting section (figure 7(52) of Zhou) that stores control information specified by said central processing section (column 7, lines 4-8 and column 11, lines 20-22 of Zhou); an image input connection section (figure 7(54) of Zhou) that receives predetermined data from an external device (column 11, lines 8-15 of Zhou); and a plurality of image processing sections (figure 4 (406A, 406B, 406C, 406D) of Zhou) that convert parallel image data inputted from said image input connection section (column 6, line 67 to column 7, line 8 of Zhou) to serial image data (column 7, lines 23-27 of Zhou), said plurality of image processing sections being provided respectively in association with a plurality of development colors (column 7, lines 16-22 of Zhou). The parallel processing is performed to produce a resultant color image (column 7, lines

Art Unit: 2624

23-27 of Zhou), said color image being inherently serial image data since said color image data is output to a single output device (figure 7(58A) and column 11, lines 14-17 of Zhou).

Zhou further discloses image output connection means (figure 7(56) of Zhou) for transferring the serial image data (column 11, lines 2-4 of Zhou) to an external device (figure 7(58A) and column 11, lines 14-17 of Zhou).

Zhou does not disclose expressly a clock generation section that generates a clock signal having a basic period equivalent to that of a pixel or less; a plurality of variable frequency generation sections that adjust a frequency of the clock signal outputted from said clock generation section to a predetermined level independently of each other, based on the control information specified by said central processing section, said plurality of variable frequency generation sections being provided respectively in association with a plurality of development colors; that said plurality of image processing sections each convert parallel image data inputted from said input connection section; and that each of said plurality of image processing sections converts said parallel image data based on a frequency of a clock signal outputted from associated one of said variable frequency generation means.

Tachiuchi discloses a clock generation section (figure 10(21) of Tachiuchi) that generates a clock signal (column 6, lines 56-58 of Tachiuchi) having a basic period equivalent to that of a pixel or less (column 4, lines 23-26 of Tachiuchi). The frequency of the input signal of the amplifier (column 4, lines 17-23 of Tachiuchi) is used to generate the binary signal pixel data (column 4, lines 23-26 of Tachiuchi). Said frequency is taken from the original frequency of the oscillator, which is

Art Unit: 2624

then divided (column 6, lines 56-58 of Tachiuchi). Since the frequency of the input signal of the amplifier is used to generate the binary signal pixel data, the frequency of the oscillator must inherently have a frequency equivalent to that of a pixel or more. Otherwise, said frequency will be too slow to sample the pixel data. Since, as is well known in the art, frequency (f) is the inverse of the period (T) ($T = \frac{1}{f}$), then the basic period of said generated clock signal is equivalent to that of a pixel or less.

Tachiuchi further discloses a plurality of variable frequency generation sections (figure 2(10) and column 7, lines 27-32 of Tachiuchi) that adjust a frequency of the clock signal outputted from said clock generation section (column 3, lines 65 to column 4, line 1 of Tachiuchi) to a predetermined level (column 3, lines 62-65 of Tachiuchi). Since the individual circuit are used for each of a plurality of colors (column 7, lines 27-32 of Tachiuchi), said frequencies of each color are therefore adjusted independently of each other. Said frequencies are adjusted based on the control information specified by a central processing section (figure 2(11) and column 3, lines 65-68 of Tachiuchi). Said plurality of variable frequency generation sections is provided respectively in association with a plurality of development colors (column 7, lines 27-32 of Tachiuchi).

Tachiuchi further discloses converting each color of the image data based on a frequency of a clock signal outputted from the variable frequency generation section (column 4, lines 8-12 and lines 17-23 of Tachiuchi).

Art Unit: 2624

Zhou and Tachiuchi are combinable because they are from the same field of endeavor, namely digital image data generation and processing. At the time of the invention, it would have been obvious to a person of ordinary skill in the art to generate a clock signal with a basic period equivalent to that of a pixel or less, as taught by Tachiuchi. The motivation for doing so would have been that such a signal is necessary for inputting and binarizing image data since the frequency of said signal can affect how the image data is binarized (column 4, lines 23-26 of Tachiuchi). Further, at the time of the invention, it would have been obvious to a person of ordinary skill in the art to use each the plurality of variable frequency generation sections taught by Tachiuchi respectively for each of the parallel processed colors taught by Zhou. Since each color is processed separately and in parallel according to the teachings of Zhou (column 7, lines 12-22 of Zhou), a separate variable frequency generation section would be required for each color, which would further result in each color of the parallel image data being processed based on the associated one of the plurality of variable frequency generation sections. The motivation for doing so would have been that each color has different characteristics (figure 14 and column 7, lines 58-62 of Tachiuchi) and can therefore be handled separately of each other (column 7, lines 62-65 of Tachiuchi). Therefore, it would have been obvious to combine Tachiuchi with Zhou.

Zhou in view of Tachiuchi does not disclose expressly that said plurality of image processing sections each convert parallel image data inputted from said input connection section.

Art Unit: 2624

Mita discloses color conversion processing (column 14, lines 50-52 of Mita) wherein a set of 16 pixels are processed in parallel (column 14, lines 39-49 of Mita).

Zhou in view of Tachiuchi is combinable with Mita because they are from the same field of endeavor, namely digital image data generation and processing. At the time of the invention, it would have been obvious to a person of ordinary skill in the art to process the individual colors in parallel, as taught by Zhou, and additionally process the pixels in parallel, as taught by Mita. Thus, each of said plurality of image processing sections, which processes a color according to the teachings of Zhou, also processes the pixel values for said color in parallel according to the pixels, as taught by Mita. Therefore, the combination of Zhou in view of Tachiuchi and Mita teaches a plurality of image processing sections, each of which correspond to a particular color, and each of which performs parallel processing on the image data. The motivation for doing so would have been to provide for an overall faster processing of the image data (column 1, lines 11-22 of Mita). Therefore, it would have been obvious to combine Mita with Zhou in view of Tachiuchi to obtain the invention as specified in claim 1.

Regarding claim 4: Zhou discloses a plurality of image processors (figure 4(406A,406B,406C,406D) of Zhou) that convert parallel image data (column 6, line 67 to column 7, line 8 of Zhou) to serial image data (column 7, lines 23-27 of Zhou), said plurality of image processing means being provided respectively in association with a plurality of development colors (column 7, lines 16-22 of Zhou). The parallel processing is performed to produce a resultant color image (column 7, lines 23-27 of Zhou), said color image being inherently serial image data since said

Art Unit: 2624

color image data is output to a single output device (figure 7(58A) and column 11, lines 14-17 of Zhou).

Zhou does not disclose expressly a plurality of variable frequency generators, each corresponding to a different one of a plurality of development colors, that separately generate clock signals of desired frequencies; that said plurality of image processors each convert parallel image data to serial image data; that said plurality of image processors each correspond to a respective one of said variable frequency generators; that said parallel image data is converted to *variable resolution* serial image data based on the frequency of the associated clock signal, wherein for each image processor, the frequency of the associated clock signal determines the degree of resolution the converted serial image data represents with respect to the corresponding parallel image data.

Tachiuchi discloses a plurality of variable frequency generators (figure 2(10) and column 7, lines 27-32 of Tachiuchi). Since each of the individual circuits are used for each of a plurality of colors (column 7, lines 27-32 of Tachiuchi), said frequencies of each color are therefore adjusted independently of each other, and thus separately generate clock signals of desired frequencies. Said frequencies are adjusted based on the control information specified by a central processing means (figure 2(11) and column 3, lines 65-68 of Tachiuchi). Said plurality of variable frequency generation means is provided respectively in association with a plurality of development colors (column 7, lines 27-32 of Tachiuchi).

Tachiuchi further discloses converting each color of the image data based on a frequency of a clock signal outputted from

Art Unit: 2624

the variable frequency generation means (column 4, lines 8-12 and lines 17-23 of Tachiuchi).

Tachiuchi further discloses that the image data is converted to variable resolution image data (column 4, lines 20-28 of Tachiuchi) based on the frequency of the associated clock signal (column 4, lines 8-12 and lines 17-23 of Tachiuchi). The frequency of the associated clock signal determines the degree of resolution the converted image data represents with respect to the corresponding original image data (figures 5A-5B; figures 6A-6B; and column 4, lines 23-27 of Tachiuchi). Since f_2 (figures 6A-6B of Tachiuchi) is twice the frequency of f_1 (figures 5A-5B of Tachiuchi), the number of "1" bits in the binary signal is less for f_2 (000011) than for f_1 , (001111) and thus the resolution of the image signal is finer spatially. Further, a higher spatial resolution is precisely what one of ordinary skill in the art would expect to result from a higher corresponding clock frequency since, as is well-known in signal processing, a higher sampling frequency generates a higher data rate. Thus, the variable resolution of the image data is naturally based upon the frequency of the associated clock.

Zhou and Tachiuchi are combinable because they are from the same field of endeavor, namely digital image data generation and processing. At the time of the invention, it would have been obvious to a person of ordinary skill in the art to use each the plurality of variable frequency generation means taught by Tachiuchi respectively for each of the parallel processed colors taught by Zhou. Since each color is processed separately and in parallel according to the teachings of Zhou (column 7, lines 12-22 of Zhou), a separate variable frequency generation means would be required for each color, which would further result in

Art Unit: 2624

each color of the parallel image data being processed based on the associated one of the plurality of variable frequency generation means. Further, due to the variable resolution resulting from each of the individual clock signals, said parallel image data is therefore converted to variable resolution serial image data based on the frequency of the associated clock signal, wherein for each image processor, the frequency of the associated clock signal determines the degree of resolution the converted serial image data represents with respect to the corresponding parallel image data. The motivation for doing so would have been that each color has different characteristics (figure 14 and column 7, lines 58-62 of Tachiuchi) and can therefore be handled separately of each other (column 7, lines 62-65 of Tachiuchi). Therefore, it would have been obvious to combine Tachiuchi with Zhou.

Zhou in view of Tachiuchi does not disclose expressly that said plurality of image processors each convert parallel image data to serial image data.

Mita discloses color conversion processing (column 14, lines 50-52 of Mita) wherein a set of 16 pixels are processed in parallel (column 14, lines 39-49 of Mita).

Zhou in view of Tachiuchi is combinable with Mita because they are from the same field of endeavor, namely digital image data generation and processing. At the time of the invention, it would have been obvious to a person of ordinary skill in the art to process the individual colors in parallel, as taught by Zhou, and additionally process the pixels in parallel, as taught by Mita. Thus, each of said plurality of image processors, which processes a color according to the teachings of Zhou, also processes the pixel values for said color in parallel according

Art Unit: 2624

to the pixels, as taught by Mita. Therefore, the combination of Zhou in view of Tachiuchi and Mita teaches a plurality of image processors, each of which correspond to a particular color, and each of which performs parallel processing on the image data. The motivation for doing so would have been to provide for an overall faster processing of the image data (column 1, lines 11-22 of Mita). Therefore, it would have been obvious to combine Mita with Zhou in view of Tachiuchi to obtain the invention as specified in claim 4.

6. Claims 2-3 and 5 are rejected under 35 U.S.C. 103(a) as being unpatentable over Zhou (US Patent 5,798,753) in view of Tachiuchi (US 4,839,739), Bianchi (US Patent 5,898,509), and Mita (US Patent 5,293,481).

Regarding claim 2: Zhou discloses an image processing apparatus (figure 7 of Zhou) comprising a central processing section (figure 7(24) of Zhou) that conducts operation control of the whole image processing apparatus (column 3, lines 49-52 of Zhou); a setting section (figure 7(52) of Zhou) that stores control information specified by said central processing section (column 7, lines 4-8 and column 11, lines 20-22 of Zhou); an image input connection section (figure 7(54) of Zhou) that receives predetermined data from an external device (column 11, lines 8-15 of Zhou); a plurality of image processing sections (figure 4(406A,406B,406C,406D) of Zhou) that convert parallel image data inputted from said image input connection section (column 6, line 67 to column 7, line 8 of Zhou) to serial image data (column 7, lines 23-27 of Zhou), said plurality of image processing sections being provided respectively in association with all development colors (column 7, lines 16-22 of Zhou).

Art Unit: 2624

The parallel processing is performed to produce a resultant color image (column 7, lines 23-27 of Zhou), said color image being inherently serial image data since said color image data is output to a single output device (figure 7(58A) and column 11, lines 14-17 of Zhou).

Zhou further discloses an image output connection section (figure 7(56) of Zhou) that transfers the serial image data (column 11, lines 2-4 of Zhou) to an external device (figure 7(58A) and column 11, lines 14-17 of Zhou).

Zhou does not disclose expressly clock generation section that generates a clock signal having a basic period equivalent to that of a pixel or less; a plurality of variable frequency generation sections that adjust a frequency of the clock signal outputted from said clock generation section to a predetermined level independently of each other, based on the control information specified by said central processing section, said plurality of variable frequency generation sections being provided respectively in association with development colors other than one predetermined color; and that each of said plurality of image processing sections converts said parallel image data based on a frequency of the clock signal outputted from said clock generation section and a frequency of a clock signal outputted from associated one of said variable frequency generation sections by taking the frequency of the clock outputted from the clock generation section as a reference.

Tachiuchi discloses a clock generation section (figure 10(21) of Tachiuchi) that generates a clock signal (column 6, lines 56-58 of Tachiuchi) having a basic period equivalent to that of a pixel or less (column 4, lines 23-26 of Tachiuchi). The frequency of the input signal of the amplifier (column 4,

Art Unit: 2624

lines 17-23 of Tachiuchi) is used to generate the binary signal pixel data (column 4, lines 23-26 of Tachiuchi). Said frequency is taken from the original frequency of the oscillator, which is then divided (column 6, lines 56-58 of Tachiuchi). Since the frequency of the input signal of the amplifier is used to generate the binary signal pixel data, the frequency of the oscillator must inherently have a frequency equivalent to that of a pixel or more. Otherwise, said frequency will be too slow to sample the pixel data. Since, as is well known in the art, frequency (f) is the inverse of the period (T) ($T = \frac{1}{f}$), then the basic period of said generated clock signal is equivalent to that of a pixel or less.

Tachiuchi further discloses a plurality of variable frequency generation sections (figure 2(10) and column 7, lines 27-32 of Tachiuchi) that adjust a frequency of the clock signal outputted from said clock generation section (column 3, lines 65 to column 4, line 1 of Tachiuchi) to a predetermined level (column 3, lines 62-65 of Tachiuchi). Since the individual circuit are used for each of a plurality of colors (column 7, lines 27-32 of Tachiuchi), said frequencies of each color are therefore adjusted independently of each other. Said frequencies are adjusted based on the control information specified by a central processing section (figure 2(11) and column 3, lines 65-68 of Tachiuchi). Said plurality of variable frequency generation sections is provided respectively in association with a plurality of development colors (column 7, lines 27-32 of Tachiuchi).

Tachiuchi further discloses converting each color of the image data based on a frequency of a clock signal outputted from

Art Unit: 2624

the variable frequency generation sections (column 4, lines 8-12 and lines 17-23 of Tachiuchi).

Zhou and Tachiuchi are combinable because they are from the same field of endeavor, namely digital image data generation and processing. At the time of the invention, it would have been obvious to a person of ordinary skill in the art to generate a clock signal with a basic period equivalent to that of a pixel or less, as taught by Tachiuchi. The motivation for doing so would have been that such a signal is necessary for inputting and binarizing image data since the frequency of said signal can affect how the image data is binarized (column 4, lines 23-26 of Tachiuchi). Further, at the time of the invention, it would have been obvious to a person of ordinary skill in the art to use the variable frequency generation sections taught by Tachiuchi respectively for each of the parallel processed colors taught by Zhou. Since each color is processed separately and in parallel according to the teachings of Zhou (column 7, lines 12-22 of Zhou), a separate variable frequency generation section would be required for each color, which would further result in each color of the parallel image data being processed based on the associated one of the plurality of variable frequency generation sections. The motivation for doing so would have been that each color has different characteristics (figure 14 and column 7, lines 58-62 of Tachiuchi) and can therefore be handled separately of each other (column 7, lines 62-65 of Tachiuchi). Therefore, it would have been obvious to combine Tachiuchi with Zhou.

Zhou in view of Tachiuchi does not disclose expressly that said plurality of variable frequency generation sections is provided in association with development colors other than one

Art Unit: 2624

predetermined color; that each of said plurality of image processing sections converts parallel image data inputted from said image input connection section; and that said parallel image data is converted based on a frequency of the clock signal outputted from said clock generation section and a frequency of a clock signal outputted from associated one of said variable frequency generation sections by taking the frequency of the clock signal outputted from the clock generation section as a reference.

Bianchi discloses that the weakest channel determines the overall cycle time (column 6, lines 10-12 of Bianchi). The other channels are variably set using the cycle time of the weakest channel as a reference (column 6, lines 14-17 of Bianchi). Therefore, the cycle time for the weakest channel is set to a constant, reference value (column 6, lines 10-14 of Bianchi), and the other channels are independently set based on said reference value (column 6, lines 14-17 of Bianchi). The cycle time (T) inversely relates to the frequency (f) since, as is well-known in the art, $T = \frac{1}{f}$. Therefore, setting a reference cycle time inherently set a reference frequency, and variably setting other cycle times based on said reference cycle time inherently sets frequencies based on said reference frequency.

Zhou in view of Tachiuchi is combinable with Bianchi because they are from the same field of endeavor, namely digital image data generation and processing. At the time of the invention, it would have been obvious to a person of ordinary skill in the art to set one channel as a reference channel for the cycle time and set the cycle times of the other channels based on said reference cycle time, as taught by Bianchi.

Art Unit: 2624

Therefore, there would be no need for a variable frequency generation section for one predetermined color, namely the color that requires a longer cycle time than the other colors. The frequency of the clock signal outputted from said clock generation section would correspond to the frequency of the reference channel (color). Therefore, the frequencies of the clock signals outputted from their associated variable frequency generation sections would be determined by taking the frequency of the clock signal outputted from the clock generation section as a reference. The motivation for doing so would have been that the maximum and minimum light intensities at the CCD may be different for one color band than for another color band (column 1, lines 51-53 of Bianchi) and therefore parameters, such as the clock cycle time, must be adjusted to maximize the signal-to-noise ratio (column 1, lines 56-58 of Bianchi). Therefore, it would have been obvious to combine Bianchi with Zhou in view of Tachiuchi.

Zhou in view of Tachiuchi and Bianchi does not disclose expressly that each of said plurality of image processing sections converts parallel image data inputted from said image input connection section.

Mita discloses color conversion processing (column 14, lines 50-52 of Mita) wherein a set of 16 pixels are processed in parallel (column 14, lines 39-49 of Mita).

Zhou in view of Tachiuchi is combinable with Mita because they are from the same field of endeavor, namely digital image data generation and processing. At the time of the invention, it would have been obvious to a person of ordinary skill in the art to process the individual colors in parallel, as taught by Zhou, and additionally process the pixels in parallel, as taught

Art Unit: 2624

by Mita. Thus, each of said plurality of image processing sections, which processes a color according to the teachings of Zhou, also processes the pixel values for said color in parallel according to the pixels, as taught by Mita. Therefore, the combination of Zhou in view of Tachiuchi and Mita teaches a plurality of image processing sections, each of which correspond to a particular color, and each of which performs parallel processing on the image data. The motivation for doing so would have been to provide for an overall faster processing of the image data (column 1, lines 11-22 of Mita). Therefore, it would have been obvious to combine Mita with Zhou in view of Tachiuchi to obtain the invention as specified in claim 2.

Regarding claim 3: Zhou discloses that said central processing section has control information to control at least one of the processing operation of said plurality of image processing sections and the frequency adjusting operation of said variable frequency generation sections (column 7, lines 4-8 and column 11, lines 20-22 of Zhou). Said plurality of image processing sections operate according to the scale factor stored in the scale factor register (column 7, lines 4-8 of Zhou), which is controlled by said central processing section since said central processing section controls the color conversion processing (column 11, lines 20-22 of Zhou) and the overall operation of the device (column 3, lines 49-52 of Zhou).

Zhou in view of Tachiuchi does not disclose expressly that said plurality of image processing sections are adapted to conduct image addition/removal processing operation.

Bianchi discloses conducting an image addition/removal processing operation (column 3, lines 31-37 of Bianchi). The DUMP operation of the CCD takes the charges that have collected

Art Unit: 2624

due to the addition of image data (column 3, lines 35-37 of Bianchi), and transfers said charges to an analog shift register (column 3, lines 31-33 of Bianchi), thus initializing the CCD cells (column 3, lines 33-34 of Bianchi).

Zhou in view of Tachiuchi is combinable with Bianchi because they are from the same field of endeavor, namely digital image data generation and processing. At the time of the invention, it would have been obvious to a person of ordinary skill in the art to include the DUMP operation taught by Bianchi as part of the operation of said image processing apparatus. The motivation for doing so would have been to clear the image data memory so that more image data can be processed by said image processing apparatus (column 3, lines 35-37 of Bianchi). Therefore, it would have been obvious to combine Bianchi with Zhou in view of Tachiuchi to obtain the invention as specified in claim 3.

Regarding claim 5: The arguments regarding claim 4 are incorporated herein.

Bianchi discloses that the weakest channel determines the overall cycle time (column 6, lines 10-12 of Bianchi). The other channels are variably set using the cycle time of the weakest channel as a fixed-rate reference (column 6, lines 14-17 of Bianchi). Therefore, the cycle time for the weakest channel is set to a fixed, reference value (column 6, lines 10-14 of Bianchi), and the other channels are independently set based on said reference value (column 6, lines 14-17 of Bianchi). The cycle time (T) inversely relates to the frequency (f) since, as is well-known in the art, $T = \frac{1}{f}$. Therefore, setting a reference cycle time inherently set a reference frequency, and variably

Art Unit: 2624

setting other cycle times based on said reference cycle time inherently sets frequencies based on said reference frequency.

Zhou in view of Tachiuchi is combinable with Bianchi because they are from the same field of endeavor, namely digital image data generation and processing. At the time of the invention, it would have been obvious to a person of ordinary skill in the art to set one channel, which would correspond to one of the plurality of development colors taught by Zhou, as a fixed-rate reference channel for the cycle time and set the cycle times of the other channels based on said reference cycle time, as taught by Bianchi. Therefore, one of the frequency generators would instead be a fixed-rate frequency generator, which also corresponds to a different one of the plurality of development colors, that separately generates a clock signal of a desired frequency. Further, the image processor associated with color channel controlled by said fixed-rate frequency generator would therefore be another image processor, associated with the same development color as the fixed-rate frequency generator, that converts parallel image data to serial image data based on the frequency of the fixed-rate frequency generator's clock signal, wherein the frequency of the clock signal of the fixed-rate generator determines the degree of resolution the converted serial image data represents with respect to the corresponding parallel image data. In short, by converting one of the plurality of variable frequency generators into the fixed-rate frequency generator taught by Bianchi which the remaining variable frequency generators reference for their frequency value, each and every limitation of claim 5 has been rendered unpatentable due to be obvious over Zhou in view of Tachiuchi and Bianchi. The motivation for combining Bianchi

Art Unit: 2624

with Zhou in view of Tachiuchi would have been that the maximum and minimum light intensities at the CCD may be different for one color band than for another color band (column 1, lines 51-53 of Bianchi) and therefore parameters, such as the clock cycle time, must be adjusted to maximize the signal-to-noise ratio (column 1, lines 56-58 of Bianchi). Therefore, it would have been obvious to combine Bianchi with Zhou in view of Tachiuchi to obtain the invention as specified in claim 5.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to James A. Thompson whose telephone number is 571-272-7441. The examiner can normally be reached on 8:30AM-5:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David K. Moore can be reached on 571-272-7437. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



25 November 2005

James A. Thompson
Examiner
Art Unit 2624



THOMAS D. LEE